



Partizan NVH-1622 is a 16-channel network video recorder from the Cloud series supporting IP camera connectivity with H.264 and H.265 video compression. The unit features smart analytics capabilities including human detection, intrusion detection, line crossing detection, and face detection. It provides cloud functionality with remote access, cloud recording, and PUSH notifications, accessible through the Partizan mobile and desktop applications. The recorder supports one internal HDD up to 14TB and offers VGA and HDMI video outputs with display resolutions up to 2560×1440. Equipped with two-way audio using G711A codec, the unit operates on 12V DC power with included power supply. The metal housing with plastic front panel measures 255×215×43mm and operates in temperatures from -40°C to +60°C.

Product details	
Model	NVH-1622
Version	1.1 Cloud
SKU	6627
Series	Cloud series
Encoder	
Maximum cameras	16 pcs
Recording modes (IP)	16x8MP@25 fps, 8x8MP@25 fps, 4x8MP@25 fps, 1x8MP@25 fps
Video codec	H.264, H.265
Audio codec	G711A
Two-way audio	yes
Graphical user interface	
Display resolution	2560x1440, 1920x1080, 1440x900, 1280x1024, 1280x720
Video splitter modes	1, 2, 4, 6, 8, 9, 16
Languages	English, Russian, Arabic, French, Polish, Romanian, Hungarian, Italian, Czech
Storage	
Internal HDD	1 x 14 TB

HDD storage (important note)	For reliable 24/7 operation, it is strongly recommended to use HDDs specifically designed for video surveillance systems. Hard disk drive is not included in the package.
Network	
Network interfaces	RJ-45 (10/100Base-T)
Default IP address	DHCP
HTTP(s) port	80
Control port	34567
RTSP port	554
RTSP URL	rtsp://IP:PORT/user=LOGIN&password=PASSWORD&channel=1&stream=0.sdp
Default credentials	
Default login	admin
Default password	admin
Software	
Smart analytics	Human detection, Intrusion detection, Line crossing detection, Face detection
Smart analytics (important note)	Smart alarms can only be used with Cloud-series IP cameras
Cloud abilities	Remote access, Cloud recording, PUSH notifications
Desktop apps	Partizan, Partizan Setup Tool
Mobile app	Partizan
Web browsers	Google Chrome, Mozilla Firefox, Edge
Web browser usage (important note)	Web browser access requires Partizan ActiveX installation for device setup and live view. Available at www.apps.partizan.global
External interfaces	
Video output	VGA, HDMI
Audio inputs	1
Audio outputs	1
USB ports	2 x USB 2.0
Mechanical specifications	

Front panel material	Plastic
Housing material	Metal
Dimensions	255 x 215 x 43 mm
Weight	350 g
Power	
DC power source	12 V
DC consumption	5000 mA
DC power supply	Included
Operating conditions	
Humidity range	20-95% RH (non-condensing)
Operating temperature	-40 - 60 °C
Storage temperature	-40 - 60 °C
Common	
Package contents	Power adapter, Optical mouse
Warranty	3 years